
USDA Remote Sensing Overview




Curt Reynolds and Glenn Bethel

JACIE Workshop, Boulder, CO, March 29, 2011 curt.reynolds@fas.usda.gov











desktop licenses













USDA's Interrelated Policy and Program Considerations

- Commodity programs
- Conservation
- Agricultural trade
- U.S. Nutrition programs
- Rural development
- Agricultural research, education, and extension
- Forest Health
- Sustainable Agriculture
- Sustainable Forestry
- Disaster programs

- Wildland fire
- Carbon Markets
- Environment
- Climate change
- Trade Policy
- Dealing with longer-term scarcity concerns:
 - Land availability
 - Water
 - Food production inputs, especially energy
- Energy / Biofuels







Global to Field Level Requirements

Global Crop Monitoring

Yellow = USDA
Areas of Interest

Green = Forest Service Land





Early Cooperative Research between USDA, NASA, & NOAA


- LACIE (Large Area Crop Inventory Experiment)-1975-79
 - "Determine the practicality and utility of computer analyzed remotely sensed data in crop forecasting"
 - Launch of Landsat and Great Russian Grain Robbery in 1972 helped to motivate funding for LACIE.
- AgRISTARS (1980-85)- operational program to monitor crop production in USSR with satellites
- Principal satellites were <u>Landsat</u> & <u>AVHRR-NOAA</u>






Crop Monitoring Heritage





Crop
Area
(Landsat/AWiFS)



Free Landsat imagery greatly assists USDA and is USG's gift to mankind for better understanding planet Earth

Linking U.S. Agriculture



Crop Monitoring and

- FAS/WAOB (Foreign Agricultural Service/World Agricultural Outlook Board)
 - National crop estimates with global coverage for monthly WASDE (World Agriculture Supply and Demand Estimates) report
- NASS (National Agriculture Statistical Service)
 - US Crop Data Layer (CDL) derived from Landsat/AWiFS data
- ARS (Agricultural Research Service)
 - Remote sensing research for agriculture applications
- FS (Forest Service)
 - Forest mapping and forest fire monitoring
- RMA (Risk Management Agency)
 - Combat crop insurance fraud
- APHIS (Animal and Plant Health Inspection Service)
 - Identify invasive species
- FSA (Farm Service Agency)
 - National Agriculture Imagery Program (NAIP)- aerial orthoimagery
- NRCS (Natural Resources Conservation Service)
 - National Resources Inventory (NRI) and Wetlands Reserve Program (WRP)






USDA Remote Sensing Investments


- Aerial and High-resolution imagery for the US
 - National Agriculture Imagery Program (NAIP) by USDA/FSA
 - Special imagery collections for Hawaii, Alaska and US Territories (USDA/FS and USDA/NRCS)
- <u>Moderate-resolution imagery</u> (10-56-meter) for monitoring agriculture and forestry in the US
 - USDA Satellite Imagery Archive (AWiFS & SPOT4/5 with USGS)
 - USDA/NASS Crop Data Layer
- <u>Coarse resolution time-series imagery</u> (250-meter) for global crop monitoring
 - USDA and NASA Global Agriculture Monitoring (GLAM) Project
 - Global MODIS (250-meter) Time-Series for Cropland Data Drilling





National Agriculture Imagery Program (NAIP) by USDA's Farm Service Agency (FSA)






>100% Coverage in Two Years



NAIP Camera Trends

Film Cameras vs. Digital Sensors



Four Band Imagery Increases Applications



UltraCamX – Color and CIR – 8" GSD



USDA Satellite Acquisitions








- USDA agencies <u>partner</u> with each other to leverage imagery investments
 - USDA's Satellite Imagery Archive (SIA) is central depository for imagery investments by ARS, NASS, FAS, FSA, RMA, FS, APHIS, and NRCS
 - AWiFS imagery from 2005-current
- USDA <u>partners</u> with USGS, NASA, NGIA and other agencies for imagery acquisitions and applications.
 - SPOT4/5 imagery with USGS (2010-2011)
 - USDA/NASA Global Agriculture Monitoring (GLAM)




AWiFS Imagery Allowed Coast-to-Coast Cropland Data Layer Production in 2009






Historical NASS CDL Development

NASS 1997 CDL



AWiFS Imagery (larger swath width & greater repeat coverage than Landsat)






Linking U.S. Agriculture

Source: http://www.pecad.fas.usda.gov/archive_explorer/default.cfm



2010 Cropland Data Layers






National product contains 55 billion pixels processed from 8,601 scenes Landsat and 1,194 AWiFS scenes.


Source: http://nassgeodata.gmu.edu/CropScape





Land Cover Categories (by decreasing acreage)

2010 Cropland Data Layer McLean County, IL






0


2009 Cropland Data Layer: Crop-Specific Images





Source: http://www.nass.usda.gov/Education_and_Outreach/Reports,_Presentations_and_Conferences/Presentations/index.asp

NASS Cropland Data Layer Applications



NASS Cropland Data Layer (CDL) Partnerships

- Foreign Agricultural Service
 - Resourcesat-1 AWiFS





- Farm Service Agency
 - Common Land Unit "ground truth" USDA



- US Geological Survey
 - National Land Cover Dataset




- US Geological Survey/ NASA
 - Landsat TM 5 & 7
 - MODIS





USDA's Satellite Imagery Archive (SIA) and Archive Explorer


- Archive Explorer disseminates AWiFS Imagery for USDA users
 - http://www.pecad.fas.usda.gov/ar chive_explorer/default.cfm
- Bulk imagery download via ftp
 - ftp://rasta.gdacorp.com
 - EarthWhere graphical interface at http://sia.fas.usda.gov/








AWiFS Scenes Purchased by USDA/SIA



US received approximately 2/3 of total AWiFS scenes and foreign countries received 1/3 of total.



Imagery Costs vs. Spatial Resolution






Linking U.S. Agriculture

Source: Unpublished draft, Joseph Godfrey, "A Price Analysis of Multispectral, Land-Imaging Satellites", April 8, 2008

USDA Partners with USGS for 2010 and 2011 SPOT-4/5 Imagery


- SPOT4/5 collections cover conterminous U.S. and parts of Canada and Mexico.
- Ground receiving station at USGS-Sioux Falls








Final USGS SPOT-4 and SPOT-5 Databuy Coverage Contract Year 1








Final USGS SPOT-4 Databuy Coverage by Count Contract Year 1








Final USGS SPOT-5 Databuy Coverage by Count Contract Year 1







SPOT Imagery Downloaded by USDA Agencies during 2010




USDA Distribution





USDA Partners with NASA's Earth Observing System (EOS)




Radar satellite altimeters for monitoring reservoir and lake water levels.

TRMM for monitoring seasonal precipitation

Linking U.S. Agriculture

Crop Explorer

(displays numerous weather and vegetation condition data sets over major crop regions every 10-days)



Maps and time-series charts for:

Weather Data (AWFA, WMO, CMORPH, MPA, and NEXRAD)

 Dekadal (10-day) precipitation & temperatures compared to climate normals

Soil Moisture & Crop Models


- Modified Palmer two-layer soil moisture
- <u>Behind firewall:</u> Crop calendars for wheat, corn, & sorghum and corn hazard/alarm model.

<u>Vegetation Indices (polar-orbiting satellites)</u>

- AVHRR/GAC (8-km) (behind firewall)
- SPOT-VEG (1-km)
- MODIS (250-m)
- Daily MODIS
 - Agua and Terra (250-m)
- <u>Lake/Reservoir Heights</u>
 - TOPOX/Poseidon, Jason-1, Jason-2
 - GFO
 - ERS, ENVISAT



USDA-NASA Global Agriculture Monitoring (GLAM) Daily 250-m MODIS from NASA's Rapid Response














USDA-NASA Global Agriculture Monitoring (GLAM) 250-m NDVI-MODIS Time-Series from 2000-present

250-meter MODIS/NDVI Time Series Database from the Global Agriculture Monitoring (GLAM) Project

Please select your region of interest by clicking on the globe ② or selecting from the list



GLAM-MODIS NDVI Time Series for Cropland Data Drilling http://pekko.geog.umd.edu/usda/test/















Vegetation/Carbon (Landsat, AVHRR, MODIS, VIIRS, MetOp, DESDynl, ICESat-II, HyspIRI, LIST, ASCENDS)



Precipitation (TRMM, GPM)




Radiation (CERES, *CLARREO*)


USDA

Modified from NASA- Peters-Lidard

Near Future Observations



Surface soil moisture (SMMR, TRMM, AMSR-E, SMOS, Aquarius, SMAP)




Snow water equivalent (AMSR-E, SSM/I, SCLP, GCOM-W, MIS)



Snow cover fraction (MODIS, *VIIRS, MIS*)




Water surface elevation (Jason-2, SWOT)



Terrestrial water storage (GRACE, GRACEII)

Linking U.S. Agriculture to the Wor

Potential New Inputs for Crop Explorer or GLAM



Land surface temperature (MODIS, AVHRR, GOES,...)

GEOSS: Global Earth Observation System of Systems



Transverse Activities



About GEO Meetings News Room Home Docume Home > GEOSS What is GEOSS?: The Global Earth Observation System of Systems What is GEOSS? THE GLOBAL EARTH OBSERVATION SYSTEM OF SYSTEMS GEOSS Common Infrastructure GEO Portal Component Registry Standards Registry INFORMATION FOR THE BENEFIT Best Practices Wiki OF SOCIETY Task Force **GEONETCast GEO BON** 2009-2011 Work Plan

Click on Societal Benefit Area icons to go to the relevant page


Source: http://www.earthobservations.org/geoss.shtml

The Agriculture Component of GEOSS



Source: http://www.earthobservations.org/cop_ag_gams.shtml

Current USDA Land Remote Satellite Sensing Use



Crop Monitoring Outlook for 2011

- 2011 SPOT4/5 Imagery Contract with USGS
- 2011 US Crop Season
 - RFQ for Moderate Resolution Imagery Collection for Lower-48 States from May-Oct, 2011
 - AWiFS or similar imagery with greater swath width and greater repeat coverage than Landsat
- Anticipated Launch Dates:
 - Oct. 25, 2011: NPP (NPOESS Preparatory Project)
 - VIIRS is less than MODIS but USDA/FAS plans to bring it on-line for global crop monitoring
 - April 10, 2011?- Resourcesat-2/AWiFS-







Thank you



